

Classic 9 0W-30

KEY DATA



LIGHT VEHICLE RANGE

INTERNATIONAL STANDARDS

- ❖ ACEA C2
- ❖ API SN Plus

MANUFACTURER APPROVALS ¹

- ❖ Meets the requirements of the following OEM specifications:
- ❖ PSA B71 2312
- ❖ PSA B71 2302
- ❖ Fiat 9.55535-GS1
- ❖ Fiat 9.55535-DS1

¹Please refer to car owner's manual

CLASSIC, THE GUARANTEED QUALITY

Synthetic technology multigrade oil for Gasoline and Diesel.

APPLICATIONS

Adapted to cover requirements of both recent Gasoline/diesel engines.

Specially conceived to comply with after-treatment technologies.

Can be used in the most difficult operating conditions (motorways, dense city traffic...), whatever the season.

For all driving styles, particularly "vigorous" and high speeds.

CUSTOMERS BENEFITS

- Classic 9 0W-30 guarantees efficiency and durability of the after-treatment devices.
- Insures Fuel saving complying to the ACEA C2 specifications.

The high level of viscosity index insures immediate lubrication of engine parts during cold starts, leading to longer engine life.

CHARACTERISTICS²

TEST	UNIT	RESULT
Viscosity grade	-	0W-30
Kinematic viscosity at 40°C	mm ² /s	50
Kinematic viscosity at 100°C	mm ² /s	9.9
Density at 15°C	kg/m ³	844
Viscosity index	-	187
Pour point	°C	-42
OC Flash point	°C	230

² The characteristics given above are obtained with a standard tolerance threshold during production and may not be considered specifications.

RECOMMENDATIONS FOR USE

Before using the product, the vehicle's maintenance guide should be checked. Oil changes should be carried out in accordance with the manufacturer's recommendations.

The product should not be stored at temperatures over 60°C. It should be kept away from sunlight, intense cold and extreme temperature fluctuations. If possible, the packaging should not be exposed to the elements. Otherwise, the drums should be laid horizontally in order to avoid any contamination from water and to prevent the product's label from rubbing off.

HEALTH, SAFETY AND THE ENVIRONMENT

Based on the toxicological information available, this product should not cause any adverse health effects, provided it is used for its intended purpose and in accordance with the recommendations laid out in the Safety Data Sheet (SDS).

This can be obtained on request from your local reseller and is available for consultation at <https://ms-sds.totalenergies.com>.

This product should not be used for any purposes other than the ones for which it is intended.



TotalEnergies Lubrifiants / Last update of this datasheet: May 23 / Classic 9 0W-30

Some variations can be expected under normal production conditions, but these should not affect the product's expected performance irrespective of the site. The information contained in this document is subject to change without notice. Our products can be viewed on our website at www.lubricants.totalenergies.com.